



Double Ridged Horn Antenna

DRH200 is our largest caliber. This antenna is almost one meter wide and weighs almost 16kg! With a frequency from 180 MHz, this antenna is perfect for big chambers and EMC measurements.

Features and Specifications



Technical Performance

- Wide bandwidth
- Low return loss
- Individual calibration
- Suitable for EMC/EMI applications



Design and Surface Treatment

- Corrosion-resistant coating
- Includes standard mount



Manufacturing Technology

- Manufactured using a high grade aluminum alloy
- Extremely durable
- High quality N type coaxial connector



Product Packaging Includes

- Linear polarized double ridged broadband horn antenna
- Universal antenna mount

Product Parameters

PRODUCT IDENTIFICATION

Product Name	DRH200
Product Category	Double Ridged Horn Antenna

ELECTRICAL SPECIFICATIONS

Frequency Range	180 MHz – 2.2 GHz
VSWR (max.)	1.6
VSWR (avg.)	1.2
Impedance	50 Ohm
Connector	N (female)
Power (CW / Peak)	500 W / 1000 W
Antenna Factor	9 – 26 dB/m
Polarization	Linear

PHYSICAL SPECIFICATIONS

Width	997 mm (39.252 in)
Height	998 mm (39.291 in)
Depth	773 mm (30.433 in)
Weight	15.8 kg (34.833 lb)

OPERATING CONDITIONS

Rated Temperature Range	0°C – +50°C
Storage Temperature Range	-20°C – +70°C


MOUNTING FLANGE

Mounting	Universal antenna mount
----------	--------------------------------


Parameters and Performance

Typical parameters


VSWR




Gain



Antenna Factor




Cross Polarization




Radiation Patterns


0.3 GHz




0.5 GHz




0.8 GHz




1 GHz




1.3 GHz




1.6 GHz



1.9 GHz



2.2 GHz



Packaging and Accessories

What's in a box

- DRH200 Antenna
- Factory calibration certificate
- Full calibration report of each antenna
- QR code accessing online portal
- Calibration test dataset (available online)
- Universal antenna mount

Accessories

- Standard mounting flange



Factory calibration report

Optional Accessories

- FAS01 Antenna Stand
- PAS01 Antenna Stand

Custom services

- Custom mounting solutions
- Custom calibration data

Manufacturer Information

About Datasheet

Product information available also online at
<https://www.rfspin.com/product/drh200/>

Data and specifications subject to change without notice.

Datasheet revision 04-2022.

© RFspin 2022

Address

RFspin s.r.o.
Na Beránce 57/2
160 00 Prague 6
Czech Republic

E-mail

info@rfspin.com

Phone

+420 245 008 847